


# BookletChart™




## Grand Manan Channel – Southern Part NOAA Chart 13392

A reduced-scale NOAA nautical chart for small boaters

When possible, use the full-size NOAA chart for navigation.



- Complete, reduced-scale nautical chart
- Print at home for free
- Convenient size
- Up-to-date with Notices to Mariners
- Compiled by NOAA's Office of Coast Survey, the nation's chartmaker



**Published by the**  
**National Oceanic and Atmospheric Administration**  
**National Ocean Service**  
**Office of Coast Survey**  
**[www.NauticalCharts.NOAA.gov](http://www.NauticalCharts.NOAA.gov)**  
**888-990-NOAA**

### What are Nautical Charts?

Nautical charts are a fundamental tool of marine navigation. They show water depths, obstructions, buoys, other aids to navigation, and much more. The information is shown in a way that promotes safe and efficient navigation. Chart carriage is mandatory on the commercial ships that carry America's commerce. They are also used on every Navy and Coast Guard ship, fishing and passenger vessels, and are widely carried by recreational boaters.

### What is a BookletChart™?

This BookletChart is made to help recreational boaters locate themselves on the water. It has been reduced in scale for convenience, but otherwise contains all the information of the full-scale nautical chart. The bar scales have also been reduced, and are accurate when used to measure distances in this BookletChart. See the Note at the bottom of page 5 for the reduction in scale applied to this chart.


Whenever possible, use the official, full scale NOAA nautical chart for navigation. Nautical chart sales agents are listed on the Internet at <http://www.NauticalCharts.NOAA.gov>.

This BookletChart does NOT fulfill chart carriage requirements for regulated commercial vessels under Titles 33 and 44 of the Code of Federal Regulations.

### Notice to Mariners Correction Status

This BookletChart has been updated for chart corrections published in the U.S. Coast Guard Local Notice to Mariners, the National Geospatial Intelligence Agency Weekly Notice to Mariners, and, where applicable, the Canadian Coast Guard Notice to Mariners. Additional chart corrections have been made by NOAA in advance of their publication in a Notice to Mariners. The last Notices to Mariners applied to this chart are listed in the Note at the bottom of page 7. Coast Pilot excerpts are not being corrected.

For latest Coast Pilot excerpt visit the Office of Coast Survey website at <http://www.nauticalcharts.noaa.gov/nsd/searchbychart.php?chart=13392>.



**(Selected Excerpts from Coast Pilot)**  
**Grand Manan Channel**, between the coast of Maine and Grand Manan Island, is an approach from westward to Quoddy Narrows and Passamaquoddy Bay. It is the most direct passage for vessels bound up the Bay of Fundy from along the coast of Maine. The channel varies in width from 5.5 miles abreast Campobello Island to 10 miles abreast Southwest Head, the southern point of Grand Manan Island. The western approach is marked by Machias

Seal Island Light, which also marks most of the rocks and ledges that lie southwestward of Grand Manan Island. With the exception of the dangers between Machias Seal Island and Grand Manan Island, and the

33-foot unmarked rocky patch known as **Flowers Rock**, 3.9 miles west-northwestward of Machias Seal Island, the channel is free and has a good depth of water. The tidal current velocity is about 2.5 knots and follows the general direction of the channel. Daily predictions are given in the Tidal Current Tables under Bay of Fundy Entrance. Off West Quoddy Head, the currents set in and out of Quoddy Narrows, forming strong rips. Sailing vessels should not approach West Quoddy Head too closely with a light wind.

**North Atlantic Right Whales.**—The Bay of Fundy is a feeding and nursery area for endangered North Atlantic right whales (peak season: July through October) and includes the Grand Manan Basin, a whale conservation area designated by the Government of Canada. (See North Atlantic Right Whales, chapter 3, for more information on right whales and recommended measures to avoid collisions with whales.)

**Southwest Head**, the southern extremity of Grand Manan Island, is a high cliff. It is reported that the fogs often hang close in to the Maine coast between Machias Bay and West Quoddy Head, extending about one-third the way across Grand Manan Channel.

**Machias Seal Island**, 10 miles southwestward of Southwest Head, is about 500 yards long and 28 feet high. The island is steep-to on its western side. A drying reef, on the end of islet, extends 0.4 mile northeastward. A covered rock is about 300 yards northward of the islet. Depths of 20 feet 0.6 mile eastward and 29 feet 1.2 miles east-northeastward of the island are unmarked as is a 12-foot shoal, sometimes marked by a tide rip, 0.3 mile southeastward of the island.

**Southeast Shoal**, 1.2 miles southeastward of Machias Seal Island, is covered 9 feet. This shoal breaks in heavy weather and shows a rip during the strength of the tidal current, which reaches a velocity of 3 knots. A depth of 30 feet is about 450 yards southeastward of the shoal.

**North Rock**, 4 feet high and surrounded by shoal water to a distance of 800 yards, is 2.0 miles northward of Machias Seal Island. A 34-foot shoal spot is about 900 yards northeast of North Rock in about 44°32'30"N., 67°04'48"W. Another shoal spot covered 25 feet is 1.4 miles eastward of the rock in about 44°32'18"N., 67°03'16"W.

**North Shoal**, covered 9 feet, is 1.6 miles northward of the light. A depth of 40 feet is 700 yards northward. The shoal breaks in heavy weather, and the whole area is marked by tide rips. A lighted bell buoy is 0.4 mile north of the shoal.

**Middle Shoal**, 5 miles northeastward of Machias Seal Island, is covered 17 feet, with deep water close-to. The shoal shows a tide rip and breaks in heavy weather.

**Bull Rock**, awash at low water and usually breaking, is 6.7 miles eastward of Machias Seal Island, and is marked by a lighted whistle buoy. It is surrounded by deep water. **Little Shoal**, a rocky patch covered 28 feet and usually marked by a tide rip, is about midway between Bull Rock and Machias Seal Island. **Guptill Grounds**, covered 29 feet and unmarked, are 1.2 miles south-southwestward of Bull Rock.


**Wallace Ledge**, the northernmost of the Murr Ledges, 3.4 miles northeastward of Bull Rock, uncovers 9 feet. A lighted bell buoy is northwest of the ledge.

Eastward of this area are numerous reefs and ledges. These dangers are described in **Pub. No. 145, Sailing Directions (En route), Nova Scotia, and the St. Lawrence**, published by the National Geospatial-Intelligence Agency, Washington, DC. Some of the dangers are **Murr Ledges**, **Halftide Rock**, **St. Mary Ledge**, **Yellow Ledge**, **Cross Jack Ledge**, **Long Ledge**, and **White (West) Ledge**.

**U.S. Coast Guard Rescue Coordination Center**  
**24 hour Regional Contact for Emergencies**

RCC Boston      Commander  
1st CG District      (617) 223-8555  
Boston, MA

# Navigation Managers Area of Responsibility



**NOAA's navigation managers** serve as ambassadors to the maritime community.


They help identify navigational challenges facing professional and recreational mariners, and provide NOAA resources and information for safe navigation. For additional information, please visit [nauticalcharts.noaa.gov/service/navmanagers](http://nauticalcharts.noaa.gov/service/navmanagers)

To make suggestions or ask questions online, go to [nauticalcharts.noaa.gov/inquiry](http://nauticalcharts.noaa.gov/inquiry).

To report a chart discrepancy, please use [ocsdata.ncd.noaa.gov/idrs/discrepancy.aspx](http://ocsdata.ncd.noaa.gov/idrs/discrepancy.aspx).


## Lateral System As Seen Entering From Seaward

on navigable waters except Western Rivers



For more information on aids to navigation, including those on Western Rivers, please consult the latest USCG Light List for your area. These volumes are available online at <http://www.navcen.uscg.gov>

13392




4


Note: Chart grid lines are aligned with true north.

Printed at reduced scale.


SCALE 1:50,000  
Nautical Miles

See Note on page 5.






This BookletChart was reduced to 75% of the original chart scale.  
The new scale is 1:66666. Barscales have also been reduced and  
are accurate when used to measure distances in this BookletChart.



Printed at reduced scale.




1st Ed., Feb. 1992 KAPP 2894

JOINS CHART 13394

55'

50'



## CAUTION

Temporary changes or defects in aids to navigation are not indicated on this chart. See Local Notice to Mariners.

During some winter months or when endangered by ice, certain aids to navigation are replaced by other types or removed. For details see U.S. Coast Guard Light List.

## TIDE TABLES

U.S. TIDE TABLES should be used in UNITED STATES WATERS and CANADIAN TIDE TABLES in CANADIAN WATERS.

## SUPPLEMENTAL INFORMATION

Consult U.S. Coast Pilot No. 1 and Canadian Sailing Directions, Nova Scotia (SE Coast) and Bay of Fundy, for important supplemental information.

## AIDS TO NAVIGATION

Consult U.S. Coast Guard Light List for supplemental information concerning aids to navigation.

See Canadian List of Lights, Buoys and Fog Signals for information not included in the U.S. Coast Guard Light List.

## POLLUTION REPORTS


Report all spills of oil and hazardous substances to the National Response Center via 1-800-424-8802 (toll free), or to the nearest U.S. Coast Guard facility if telephone communication is impossible (33 CFR 153).

## COLREGS, 80.105 (see note A)

International Regulations for Preventing Collisions at Sea, 1972.  
The entire area of this chart falls seaward of the COLREGS Demarcation Line.

**Joins page 8**

# GRAND MANAN ISLAND (CANADA)



**Joins page 13**

Last Correction: 5/16/2016. Cleared through:  
LNM: 2516 (6/21/2016), NM: 2716 (7/2/2016), CHS: 0616 (6/24/2016)

**7**

**BAY OF FUNDY VESSEL TRAFFIC SERVICES**

Traffic Services calling-in point with number; arrow indicates direction of vessel movement.

The international boundary is the outer limit of Canada's Bay of Fundy Vessel Traffic Services zone. Vessels must report on entering or leaving the zone.

For additional information concerning these services see the Canadian publication *Radio Aids to Marine Navigation (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg and Eastern Arctic)*, Part 3.

**Can Chart 4342 Scale 1:12,904**

**WARNING**

The prudent mariner will not rely solely on any single aid to navigation, particularly on floating aids. See U.S. Coast Guard Light List and U.S. Coast Pilot for details.

**LOCAL MAGNETIC DISTURBANCE**

Magnetic disturbance has been reported in the vicinity of latitude 44°31.5'N., longitude 66°55'W., and latitude 44°33'N., longitude 66°45'W.

**NOTE A**

Navigation regulations are published in Chapter 2, U.S. Coast Pilot 1. Additions or revisions to Chapter 2 are published in the Notice to Mariners. Information concerning the regulations may be obtained at the Office of the Commander, 1st Coast Guard District in Boston, MA or at the Office of the District Engineer, Corps of Engineers in Concord, MA.

Refer to charted regulation section numbers.

**NOTE B**

Vessels should keep well south of Machias Seal Island and Murr Ledges, if practicable due to the many dangers, the deep and irregular soundings, and the strong tidal currents in the area south of Grand Manan Island.

**COLREGS, 80.105 (see note A)**

International Regulations for Preventing Collisions at Sea, 1972.

The entire area of this chart falls seaward of the COLREGS Demarcation Line.

**GRAND MANAN ISLAND (CANADA)**

**FISH TRAPS**

Numerous uncharted fish traps may exist shoreward of the 10 meter curve.

**Can Chart 4124 Scale 1: 25,000**

**Can Chart 4342 Scale 1: 25,000**

**Join page 14**


Note: Chart grid lines are aligned with true north.


Printed at reduced scale.

SCALE 1:50,000  
Nautical Miles

See Note on page 5.

# DEPTHS IN METERS





10


Note: Chart grid lines are aligned with true north.

Printed at reduced scale.

~~SCALE 1:50,000~~  
Nautical Miles

See Note on page 5.






# 12


Note: Chart grid lines are aligned with true north.

Printed at reduced scale. **SCALE 1:50,000**  
Nautical Miles  
Yards  
1 0 1 000 0 1 1000 2 2000 3 3000 4 4000 5 5000 6 6000

See Note on page 5.



Joins page 13





14

Note: Chart grid lines are aligned with true north.

Printed at reduced scale.

1 0 1 1000 0 1000 2 2000 3000 4000 5000 6000 Yards





3rd Ed., Feb. 2011

13392

## CAUTION

This chart has been corrected from the Notice to Mariners (NM) published weekly by the National Geospatial-Intelligence Agency and the Local Notice to Mariners (LNM) issued periodically by each U.S. Coast Guard district to the dates shown in the lower left hand corner. Chart updates corrected from Notice to Mariners published after the dates shown in the lower left hand corner are available at [nauticalcharts.noaa.gov](http://nauticalcharts.noaa.gov).

NOAA encourages users to submit inquiries, comments, or questions about this chart at <http://www.nauticalcharts.noaa.gov>.

Last Correction: 5/16/2016. Cleared through:  
LNM: 2516 (6/21/2016), NM: 2716 (7/2/2016), CHS: 0616 (6/24/2016)

16


Note: Chart grid lines are aligned with true north.

Printed at reduced scale.

**SCALE 1:50,000**  
Nautical Miles


See Note on page 5.

Joins page 11



discrepancies or comments  
[a.gov/staff/contact.htm](#)

DEPTH IN METERS



# 18

Note: Chart grid lines are aligned with true north.

Printed at reduced scale.


SCALE 1:50,000  
Nautical Miles

See Note on page 5.




Published at  
U.S. DEPARTMENT OF  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL COASTAL SURVEY


Joins page 13



U.S. GOVERNMENT  
DEPARTMENT OF COMMERCE  
ATMOSPHERIC ADMINISTRATION  
OCEAN SERVICE  
ST SURVEY

SCALE 1:50,000  
Nautical Miles






# 20

Note: Chart grid lines are aligned with true north.

Printed at reduced scale.

SCALE 1:50,000  
Nautical Miles

See Note on page 5.



Grand Manan Channel - Southern Part  
DEPTHS IN METERS - SCALE 1:50,000

13392

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17



EMERGENCY INFORMATION

## VHF Marine Radio channels for use on the waterways:

**Channel 6** – Inter-ship safety communications.

**Channel 9** – Communications between boats and ship-to-coast.

**Channel 13** – Navigation purposes at bridges, locks, and harbors.

**Channel 16** – Emergency, distress and safety calls to Coast Guard and others, and to initiate calls to other

vessels. Contact the other vessel, agree to another channel, and then switch.

**Channel 22A** – Calls between the Coast Guard and the public. Severe weather warnings, hazards to navigation and safety warnings are broadcast here.

**Channels 68, 69, 71, 72 and 78A** – Recreational boat channels.

**Getting and Giving Help** — Signal other boaters using visual distress signals (flares, orange flag, lights, arm signals); whistles; horns; and on your VHF radio. You are required by law to help boaters in trouble. Respond to distress signals, but do not endanger yourself.

## Distress Call Procedures

- Make sure radio is on.
- Select Channel 16.
- Press/Hold the transmit button.
- Clearly say: "MAYDAY, MAYDAY, MAYDAY."
- Also give: Vessel Name and/or Description; Position and/or Location; Nature of Emergency; Number of People on Board.
- Release transmit button.
- Wait for 10 seconds — If no response Repeat MAYDAY call.

**HAVE ALL PERSONS PUT ON LIFE JACKETS!**



**NOAA Weather Radio All Hazards (NWR)** is a nationwide network of radio stations broadcasting continuous weather information directly from the nearest National Weather Service office. NWR broadcasts official Weather Service warnings, watches, forecasts and other hazard information 24 hours a day, 7 days a week.

<http://www.nws.noaa.gov/nwr/>

## Quick References

Nautical chart related products and information

— <http://www.nauticalcharts.noaa.gov>

Interactive chart catalog

— <http://www.charts.noaa.gov/InteractiveCatalog/nrnc.shtml>

Report a chart discrepancy

— <http://ocsdata.ncd.noaa.gov/idrs/discrepancy.aspx>

Chart and chart related inquiries and comments

— <http://ocsdata.ncd.noaa.gov/idrs/inquiry.aspx?frompage=ContactUs>

Chart updates (LNM and NM corrections)

— [http://www.nauticalcharts.noaa.gov/mcd/updates/LNM\\_NM.html](http://www.nauticalcharts.noaa.gov/mcd/updates/LNM_NM.html)

Coast Pilot online

— <http://www.nauticalcharts.noaa.gov/nsd/cpdownload.htm>

Tides and Currents

— <http://tidesandcurrents.noaa.gov>

Marine Forecasts

— <http://www.nws.noaa.gov/om/marine/home.htm>

National Data Buoy Center

— <http://www.ndbc.noaa.gov/>

NowCoast web portal for coastal conditions

— <http://www.nowcoast.noaa.gov/>

National Weather Service

— <http://www.weather.gov/>

National Hurricane Center

— <http://www.nhc.noaa.gov/>

Pacific Tsunami Warning Center

— <http://ptwc.weather.gov/>

Contact Us

— <http://www.nauticalcharts.noaa.gov/staff/contact.htm>



For the latest news from Coast Survey, follow @NOAAcharts



This Booklet chart has been designed for duplex printing (printed on front and back of one sheet). If a duplex option is not available on your printer, you may print each sheet and arrange them back-to-back to allow for the proper layout when viewing.